

# SAFETY DATA SHEET

In accordance with 1907/2006 annex II and 1272/2008  
(All references to EU regulations and directives are abbreviated into only the numeric term)  
Revision date 2023-05-11  
Replaces SDS issued 2022-01-05  
Version number 5.0



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name High performance front fork fluid 01330  
Article number 01330

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricants

### 1.3. Details of the supplier of the safety data sheet

Company ÖHLINS RACING AB  
Box 722  
194 27 Upplands Väsby  
Sweden  
Telephone +46 8 590 025 00  
E-mail info@ohlins.se

### 1.4. Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Asp. tox. 1, H304  
Aquatic Chronic 3, H412  
(See section 16)

### 2.2. Label elements

Hazard pictogram



Signal word Danger  
Hazard statements  
H304 May be fatal if swallowed and enters airways  
H412 Harmful to aquatic life with long lasting effects  
Precautionary statements  
P101 If medical advice is needed, have product container or label at hand  
P102 Keep out of reach of children  
P273 Avoid release to the environment  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER  
P331 Do NOT induce vomiting  
P405 Store locked up  
P501 Dispose of contents and container to authorised waste disposal facility

### Supplemental hazard information

Contains: LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED

### 2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
<b>LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED</b>		
CAS No: 72623-86-0 EC No: 276-737-9 Index No: 649-482-00-X REACH: 01-2119474878-16	Asp. tox. 1; H304	≥50 - <100 %
<b>AMINES, N-TALLOW ALKYLTRIMETHYLENEDI-</b>		
CAS No: 61791-55-7 EC No: 263-189-0	Acute Tox. 4, Skin Corr. 1B, STOT RE 1, Aquatic Acute 1, M = 10, Aquatic Chronic 1; H302, H314, H372, H400, H410	≥0.25 - <1 %
<b>2,6-DI-TERT-BUTYLPHENOL</b>		
CAS No: 128-39-2 EC No: 204-884-0 REACH: 01-2119490822-33	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315, H400, H410	≥0.1 - <0.25 %
<b>AMINES, TALLOW ALKYL</b>		
CAS No: 61790-33-8 EC No: 263-125-1 Index No: 612-286-00-X	Acute Tox. 4, Skin Corr. 1B, STOT RE 2, Asp. tox. 1, Aquatic Acute 1, M = 10, Aquatic Chronic 1, M = 10; H302, H314, H373, H304, H400, H410	<0.02 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Generally

In case of concern, or if symptoms occur, call a doctor/physician.

#### Upon breathing in

Bring the injured person out into fresh air. Give artificial respiration if breathing has stopped. If breathing is difficult let trained personnel administer oxygen. Let the injured person rest in a warm place with fresh air and seek medical advice immediately.

#### Upon eye contact

Remove contact lenses immediately if possible.

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor/ophthalmologist.

#### Upon skin contact

Remove contaminated clothes.

Wash the skin with soap and water.

If symptoms occur, contact a physician.

#### Upon ingestion

Rinse mouth out thoroughly first with water, then SPIT OUT the rinse water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Generally

Note that the symptoms may be delayed.

#### Upon breathing in

May be fatal if swallowed and enters airways.

**Upon eye contact**

Irritation may occur.

**Upon skin contact**

Irritation may occur.

**Upon ingestion**

Risk of aspiration, resulting in chemical pneumonitis.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

Symptoms of poisoning may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## SECTION 5: Firefighting measures

**5.1. Extinguishing media****Recommended extinguishing agents**

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

**Unsuitable extinguishing agents**

May not be extinguished with water dispersed under high pressure.

**5.2. Special hazards arising from the substance or mixture**

Produces fumes containing harmful gases (carbon monoxide and carbon dioxide) when burning.

**5.3. Advice for firefighters**

Protective measures should be taken regarding other material at the site of the fire.

In case of fire use proper breathing apparatus.

Wear full protective clothing.

The containers should be moved away from the place of fire, if this can take place without risks.

Contain and collect extinguishing liquid.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Keep unauthorized and unprotected people at a safe distance.

Avoid inhalation and exposure to skin and eyes.

Note that there is a risk of slipping if product is leaking/spilling.

Ensure good ventilation.

Use recommended safety equipment, see section 8.

**6.2. Environmental precautions**

Avoid release to drains, soil or watercourses.

Always contact the fire department when accidental spillage of this product occurs.

**6.3. Methods and material for containment and cleaning up**

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.

**6.4. Reference to other sections**

See section 8 and 13 for personal protection equipment and disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Take the necessary preventive and protective measures for safe handling.
- Avoid inhalation and contact with skin and eyes.
- Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.
- Avoid formation of aerosol.
- Store this product separately from food items and keep it out of the reach of children and pets.
- Do not eat, drink or smoke in premises where this product is handled.
- Wash your hands after using the product.
- Remove contaminated clothing.
- Wash contaminated clothing before reuse.
- Keep away from incompatible products.
- Use recommended safety equipment, see section 8.
- Implement appropriate engineering controls if necessary, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

- The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.
- Take the necessary preventive and protective measures for safe storage.
- Keep out of reach for children.
- Store separately from food and animal fodder, incl. utensils or surfaces which have been in contact with these things.
- Always use sealed and visibly labeled packages.
- Store tightly, in original packaging.
- Store in a well-ventilated and locked place.
- Store in dry and cool area.
- Do not store close to incompatible materials (see section 10.5).

### 7.3. Specific end use(s)

- See identified uses in Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National limit values

##### OIL MIST

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 1 mg/m<sup>3</sup>

##### DNEL

No data available.

##### PNEC

No data available.

### 8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

#### 8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source.

#### Eye/face protection

Eye protection should be worn if there is any danger of direct exposure or splashing.

## Skin protection

Wear suitable protective clothing when necessary.

Wear protective gloves (EN 374) upon repeated or prolonged exposure.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

Based on the chemical properties of the product, the following glove materials are recommended (EN 374):.

– Butyl rubber.

– Nitrile rubber.

## Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

Based on the physical and chemical properties of the product, the following filter type(s) and/or filter combination(s) are recommended:.

– A/P2.

### 8.2.3. Environmental exposure controls

For limiting environmental exposure, see section 12.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

(a) Physical state	liquid Form: liquid
(b) Colour	yellow
(c) Odour	characteristic
(d) Melting point/freezing point	Not indicated
(e) Boiling point or initial boiling point and boiling range	Not indicated
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	168 °C
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	Not indicated
(l) Kinematic viscosity	20 mm <sup>2</sup> /s (40°C)
(m) Solubility	Solubility in water: Insoluble
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	0.84 g/cm <sup>3</sup> (15°C)
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Not indicated

#### 9.2.2. Other safety characteristics

Not indicated

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

### 10.2. Chemical stability

The product is stable at normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

### 10.4. Conditions to avoid

Avoid sources of ignition and excessive temperatures.

Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Avoid contact with strong acids, bases and oxidizers.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

If vomiting there is a risk of the product entering the lungs, which subsequently may cause chemical lung inflammation.

#### Acute toxicity

The product is not classified as acutely toxic.

#### LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED

LD50 rabbit 24h: > 2000 mg/kg Dermally

LC50 rat 4h: > 3 mg/L Inhalation

LD50 rat 24h: > 2000 mg/kg Orally

#### Skin corrosion/irritation

The product is not classified for skin corrosion/irritation.

#### Serious eye damage/irritation

The product is not classified for serious eye damage/eye irritation.

#### Respiratory or skin sensitisation

The product is not classified as sensitising.

#### Germ cell mutagenicity

The product is not classified as mutagen.

#### Carcinogenicity

The product is not classified as carcinogenic.

#### Reproductive toxicity

The product is not classified as a reproductive toxicant.

#### STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

#### STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

#### Aspiration hazard

The product may be fatal if swallowed and enters airways.

Monitor aspiration risk if vomiting occurs.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

#### 11.2.2. Other information

Not indicated.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.  
Prevent release on land, in water and drains.

### LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED

EC50 Freshwater water flea (*Daphnia magna*) 48 h: > 1000 mg/L  
NOEC Freshwater water flea (*Daphnia magna*) 21d: > 1 mg/L

### 12.2. Persistence and degradability

There is no information regarding persistence or degradability.

### 12.3. Bioaccumulative potential

There is no information regarding bioaccumulation.

### 12.4. Mobility in soil

Information about mobility in nature is not available.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6. Endocrine disrupting properties

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

### 12.7. Other adverse effects

No known effects or hazards.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste handling of the product

Avoid discharge into sewers.  
Discarded products must be disposed of as hazardous waste in accordance with regulations.  
Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.  
See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

#### Classification according to 2008/98/EC

Recommended LoW-code: 13 02 05 Mineral-based non-chlorinated engine, gear and lubricating oils

## SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

### 14.1. UN number or ID number

Not classified as dangerous goods

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### 14.8 Other transport information

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

### 15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

## SECTION 16: Other information

### 16a. Indication of where changes have been made to the previous version of the safety data sheet

#### Revisions of this document

Earlier versions

2022-01-05 Changes in section(s) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12.

### 16b. Legend to abbreviations and acronyms used in the safety data sheet

#### Full texts for Hazard Class and Category Code mentioned in section 3

Asp. tox. 1	Aspiration hazard, Hazard Category 1 - Asp. tox. 1, H304 - May be fatal if swallowed and enters airways
Acute Tox. 4	Acute toxicity (oral), Hazard Category 4 - Acute Tox. 4, H302 - Harmful if swallowed
Skin Corr. 1B	Skin corrosion/irritation, Hazard Category 1B - Skin Corr. 1B, H314 - Causes severe skin burns and eye damage
STOT RE 1	Specific target organ toxicity — Repeated exposure, Hazard Category 1 - STOT RE 1, H372 - Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
Aquatic Acute 1, M = 10	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, M = 10, H400 - Very toxic to aquatic life
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1 - Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2 - Skin Irrit. 2, H315 - Causes skin irritation
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, H400 - Very toxic to aquatic life
STOT RE 2	Specific target organ toxicity — Repeated exposure, Hazard Category 2 - STOT RE 2, H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
Aquatic Chronic 1, M = 10	Hazardous to the aquatic environment — Chronic Hazard, Category 1 - Aquatic Chronic 1, M = 10, H410 - Very toxic to aquatic life with long lasting effects
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3 - Aquatic Chronic 3, H412 - Harmful to aquatic life with long lasting effects

#### Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

### 16c. Key literature references and sources for data

#### Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2023-05-11.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

#### Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals



(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC  
1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
EH40/2005 EH40/2005 Workplace exposure limits  
2008/98/EC DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

**16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification**

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

**16e. List of relevant hazard statements and/or precautionary statements**

**Full texts for hazard statements mentioned in section 3**

H304 May be fatal if swallowed and enters airways

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H372 Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H315 Causes skin irritation

H373 May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>

**16f. Advice on any training appropriate for workers to ensure protection of human health and the environment**  
**Warning for misuse**

Not indicated.

**Other relevant information**

Not indicated

**Editorial information**



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, [www.kemrisk.se](http://www.kemrisk.se)