according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : WOLFRASYN ULAF

Article-No. : 003001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG

Geisenhausenerstr. 7 81379 München Deutschland

Tel.: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person : mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact : Klüber Lubrication Nordic A/S

Vasagatan 36 111 20 Stockholm

Sweden

Tel: +46 8 59098600 Fax: +46 8 59098601 klueber.se@klueber.com

1.4 Emergency telephone number

Emergency telephone

number

112 - ask for poison information

+49 89 7876 700 (24 hrs)

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, H412: Harmful to aquatic life with long lasting

Category 3 effects.

2.2 Label elements

Signal word

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

•

Hazard statements : H317 May cause an allergic skin reaction.

Warning

H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be

allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label:

N-1-naphthylaniline

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : polyalkylene glycol oil

solid lubricant

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27- XXXX	Acute Tox.4; H302 Skin Sens.1B; H317 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 1 - < 2,5
Substances with a workplace exposure limit :				
Graphite	7782-42-5 231-955-3 01-2119486977-12- XXXX	Not classified		>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon oxides

products Nitrogen oxides (NOx)

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Graphite	7782-42-5	NGVTime Weighted Average (inhalable fraction)	3 mg/m3 (Carbon)	SE AFS (2018-02-19)
		NGVTime Weighted Average	0,2 fibres per cubic centimeter	SE AFS (2015-11-12)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	` ,	•	` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
Graphite	Workers	Inhalation	Long-term systemic effects	1,2 mg/m3
N-1-naphthylaniline	Workers	Inhalation	Long-term systemic effects	0,18 mg/m3
	Workers	Inhalation	Acute systemic effects	44 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	6,67 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

N-1-naphthylaniline	Fresh water	0,0002 mg/l
	Intermittent use/release	0,003 mg/l
	Marine water	0,00002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,0344 mg/kg
	Marine sediment	0,00344 mg/kg
	Soil	0,007 mg/kg
	Oral	7,173 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,30 (20 °C)

Reference substance: Water The value is calculated

Density : 1,30 g/cm3

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat): 1.625 mg/kg

Remarks: Harmful if swallowed.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Symptoms: Redness, Local irritation

Graphite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

N-1-naphthylaniline:

Species : Rabbit

Assessment : No skin irritation

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Method : OECD Test Guideline 404

Result : No skin irritation

Graphite:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

N-1-naphthylaniline:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Graphite:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

N-1-naphthylaniline:

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

GLP : no

Graphite:

Species : Mouse

Method : OECD Test Guideline 429

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Result : negative

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Graphite:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Method: OECD Test Guideline 471

Result: negative

Test Type: gene mutation test Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

Components:

Graphite:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 813 mg/kg body weight

Method: OECD Test Guideline 422

STOT - single exposure

Product:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

Components:

N-1-naphthylaniline:

Target Organs : Kidney, Blood

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Graphite:

Species : Rat

NOAEL : 813 mg/kg

Application Route : Oral

Method : OECD Test Guideline 422

Species : Rat NOAEL : > 2 mg/l

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 412

Aspiration toxicity

Product:

This information is not available.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

N-1-naphthylaniline:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l

Exposure time: 96 h

Remarks: Very toxic to aquatic organisms, may cause long-

term adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,32 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 0,25 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to daphnia and other :

aquatic invertebrates

NOEC: 0,025 mg/l Exposure time: 21 d

(Chronic toxicity)

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Graphite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

N-1-naphthylaniline:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Graphite:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Components:

N-1-naphthylaniline:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 56 d

Bioconcentration factor (BCF): 2.700

Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 10 d

Bioconcentration factor (BCF): 600 Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Components:

N-1-naphthylaniline:

Additional ecological

information

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

RID : Not regulated as a dangerous goodIMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that : Not applicable

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

deplete the ozone layer (EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic : Not applicable

pollutants (recast)

(EU POP)

Regulation (EC) No 649/2012 of the European : Not applicable

Parliament and the Council concerning the export and

import of dangerous chemicals

(EU PIC)

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous

substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Other regulations:

AFS 2011:19 - Chemical Hazards in the Working Environment (amended by AFS 2019:9), §§37a-g.

Take note of the Swedish Work Environment Authority regulations on Chemical Hazards in the Working Environment (AFS 2011:19)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people who will be turning 16 during the calendar year are, however, except from this rule if the product is a necessary part of their education.

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

15.2 Chemical safety assessment

This information is not available.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

SE AFS : Sweden. Occupational Exposure Limit Values

SE AFS / NGV : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



WOLFRASYN ULAF

Version Revision Date: Date of last issue: 2022-07-05 Print Date: 2023-

1.6 2023-10-18 Date of first issue: 2015-07-09 10-18

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

