

Safety Data Sheet

Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Paint

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Sunchem AB
Box 69
S-433 21 Partille Sweden
T +46 31 447310 - F +46 31 449581
[E-mail: d.s@sunco.se](mailto:d.s@sunco.se)

Manufacturer

Sunchem AB
Box 69
S-433 21 Partille Sweden
T +46 31 447310 - F +46 31 449581
[E-mail: d.s@sunco.se](mailto:d.s@sunco.se)

Contact person : Dick Sundström

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
vinylacetat copolymer	(REACH-no) N/A	10 - 35	Not classified

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	1 - 5	Eye Irrit. 2, H319
--	--	-------	--------------------

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: General first aid, rest, warmth and fresh air. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower.
First-aid measures after eye contact	: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: Rinse nose, mouth and throat with water. Contact physician if larger quantity has been consumed. Do not give victim anything to drink if he is unconscious.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂), water spray, sand, earth.
Unsuitable extinguishing media	: Avoid water in straight hose stream; will scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non flammable.
Hazardous decomposition products in case of fire	: Carbon dioxide (CO ₂). Carbon monoxide (CO).

5.3. Advice for firefighters

Firefighting instructions	: Containers close to fire should be removed immediately or cooled with water.
Protection during firefighting	: Wear self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No special precautions required.

For non-emergency personnel

Protective equipment : Wear appropriate personal protective equipment - see Section 8.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent discharge of larger quantity to drain.

6.3. Methods and material for containment and cleaning up

For containment	: Dispose of at a licensed waste collection centre.
Methods for cleaning up	: Mechanically recover the product. Take up liquid spill into absorbent material. Post clean with water.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Precautions for safe handling	: No specific usage precautions noted.
Hygiene measures	: Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect against frost.

7.3. Specific end use(s)

No additional data.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)		
United Kingdom	Local name	2-(2-Butoxyethoxy)ethanol
United Kingdom	WEL TWA (mg/m ³)	67.5 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	WEL STEL (mg/m ³)	101.2 mg/m ³
United Kingdom	WEL STEL (ppm)	15 ppm

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Gloves.
Hand protection	: For prolonged or repeated skin contact use suitable protective gloves. Nitrile rubber. Breakthrough time : 6 (> 480 minutes). Layer thickness : 0,2 - 0,4 mm. STANDARD EN 374.
Eye protection	: Not required
Skin and body protection	: Not required
Respiratory protection	: Not required



Other information : Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	: Solid
Colour	: White.
Odour	: Ammonia.
Odour threshold	: Not determined.
pH	: Not determined.
Relative evaporation rate (butylacetate=1)	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: 100 °C
Flash point	: Not determined.
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: Not determined.
Relative vapour density at 20 °C	: Not determined.
Relative density	: Not determined.
Density	: < 1.5 g/cm ³ @ 20 °C
Solubility	: Miscible with water.
Log Pow	: Not determined.
Viscosity, kinematic	: Not determined.
Viscosity, dynamic	: Not determined.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined.

9.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

No incompatible groups noted.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Protect against frost.

10.5. Incompatible materials

None to our knowledge.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Acute toxicity : Not classified
Ingestion of large amounts may cause discomfort.

Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex	
LD50 oral rat	> 3000 mg/kg
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg

Skin corrosion/irritation : Not classified
Based on available data, the classification criteria are not met
pH: Not determined.

Serious eye damage/irritation : Not classified
Based on available data, the classification criteria are not met
pH: Not determined.

Respiratory or skin sensitisation : Not classified
Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified
Based on available data, the classification criteria are not met

Carcinogenicity : Not classified
Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified
Based on available data, the classification criteria are not met

STOT-single exposure : Not classified
Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified
Based on available data, the classification criteria are not met

Aspiration hazard : Not classified
Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms : No information.

SECTION 12: ECOLOGICAL INFORMATION**12.1. Toxicity**

Ecology - general : Not regarded as dangerous to the environment. This does not, however, rule out the possibility that large or frequent smaller emissions of the product may be harmful to the environment.

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
LC50 fish 1	1300 mg/l (96 hours - <i>Lepomis macrochirus</i>)
EC50 Daphnia 1	> 100 mg/l (48 hours - <i>Daphnia magna</i>)
IC50 algae	53 mg/l (<i>Anacystis aeruginosa</i>)

12.2. Persistence and degradability

Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex	
Persistence and degradability	Componet(s) are biodegradable.
Biodegradation	> 80 %
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
Chemical oxygen demand (COD)	< 0.05 BOD5/COD
Biodegradation	89 % (OECD 301C method)

12.3. Bioaccumulative potential

Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex	
Log Pow	Not determined.
Bioaccumulative potential	No data.
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
Bioconcentration factor (BCF REACH)	2.9
Log Pow	0.68

12.4. Mobility in soil

Newlatex 3A, 3B, 7A, 7B, 7D, Stinatex	
Ecology - soil	Miscible with water. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : None to our knowledge.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Regional legislation (waste) : Product is not hazardous waste.
- Waste treatment methods : Do not discharge into drains.
- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
- Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.
- European List of Waste (LoW) code : 08 01 12 - waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	Not regulated for transport
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
14.4. Packing group	
14.5. Environmental hazards	
No supplementary information available	

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions
 Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Data sources	: EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
Date of issue	: 30/11/2012
Revision date	: 01/11/2018
Supersedes	: 30/10/2015
Version	: 2.0
Signature	: A. Åsebø Murel

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.
EUH210	Safety data sheet available on request.

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.