

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-08-04
1.8	2023-08-04	Date of first issue: 2015-11-20	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : POLYLUB GA 352 P  
Article-No. : 097095

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease  
Recommended restrictions on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel.: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Nordic A/S  
Vasagatan 36  
111 20 Stockholm  
Sweden  
Tel: +46 8 59098600  
Fax: +46 8 59098601  
klueber.se@klueber.com

#### 1.4 Emergency telephone number

Emergency telephone number : 112 - ask for poison information  
+49 89 7876 700 (24 hrs)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-08-04
1.8	2023-08-04	Date of first issue: 2015-11-20	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Long-term (chronic) aquatic hazard, Category 3                      H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard statements                      :    H412                      Harmful to aquatic life with long lasting effects.

Precautionary statements         :    **Prevention:**  
    P273                      Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature                      :    Mineral oil.  
    Synthetic hydrocarbon oil  
    aluminium complex soap

**Components**

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes	Concentration (% w/w)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)

**KLÜBER**  
LUBRICATION

## POLYLUB GA 352 P

Version 1.8      Revision Date: 2023-08-04      Date of last issue: 2022-01-25      Print Date: 2023-08-04  
Date of first issue: 2015-11-20

			Acute toxicity estimate	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5 202-414-9  01-2119777867-13-XXXX	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/1	$\geq 0,25 - < 1$
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	701-177-3  01-2119488991-20-XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/  ATE ATE (Inhalation): 1,37 mg/l;	$\geq 0,25 - < 1$
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4  01-2119555270-46-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 0,1 - < 0,25$
Substances with a workplace exposure limit :				
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5 265-155-0  649-465-00-7 01-2119467170-45-XXXX	Not classified	Note L	$\geq 70 - < 90$
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7  649-474-00-6 01-2119471299-27-XXXX	Not classified	Note L	$\geq 1 - < 10$
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	64742-62-7 265-166-0  649-471-00-X 01-2119480472-38-XXXX	Not classified	Note L	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	NGVTime Weighted Average (Mist)	1 mg/m <sup>3</sup>	SE AFS (2020-09-28)
		KGVShort Term Exposure Limit (Mist)	3 mg/m <sup>3</sup>	SE AFS (2020-09-28)
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				
Distillates (petroleum), solvent-dewaxed	64742-65-0	NGVTime Weighted Average (Mist)	1 mg/m <sup>3</sup>	SE AFS (2020-09-28)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8      Revision Date: 2023-08-04      Date of last issue: 2022-01-25      Print Date: 2023-08-04  
Date of first issue: 2015-11-20

heavy paraffinic; Baseoil — unspecified				
		KGVShort Term Exposure Limit (Mist)	3 mg/m3	SE AFS (2020-09-28)
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	64742-62-7	NGVTime Weighted Average (Mist)	1 mg/m3	SE AFS (2020-09-28)
		KGVShort Term Exposure Limit (Mist)	3 mg/m3	SE AFS (2020-09-28)
Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded				

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Residual oils (petroleum), solvent- dewaxed; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Dermal	Long-term systemic effects	0,97 mg/kg
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	Workers	Skin contact	Long-term systemic effects	0,06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,46 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8      Revision Date: 2023-08-04      Date of last issue: 2022-01-25      Print Date: 2023-08-04  
Date of first issue: 2015-11-20

			effects	
	Workers	Skin contact	Acute systemic effects	2 mg/kg
	Workers	Inhalation	Acute systemic effects	14 mg/m3
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Oral	9,33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	Oral	9,33 mg/kg
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	Fresh water	0,00003 mg/l
	Marine water	0,000003 mg/l
	Fresh water sediment	0,376 mg/kg
	Marine sediment	0,0376 mg/kg
	Soil	0,075 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,057 mg/kg
	Marine sediment	0,006 mg/kg
	Soil	1,71 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	Marine water	0,02 µg/l
	Intermittent use/release	1,99 µg/l
	Microbiological Activity in Sewage Treatment Systems	0,017 mg/l
	Fresh water sediment	0,458 mg/kg
	Marine sediment	0,046 mg/kg
	Soil	0,054 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : paste  
Colour : yellow  
Odour : characteristic  
Odour Threshold : No data available  
Melting point/range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,92 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,92 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Oxidizing properties : No data available  
Self-ignition : No data available  
Evaporation rate : No data available  
Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

**2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Acute oral toxicity : LD50 (Rat): 1.265 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 1,37 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute toxicity estimate: 1,37 mg/l  
Test atmosphere: dust/mist  
Method: ATE value derived from LD50/LC50 value

### **2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-08-04
1.8	2023-08-04	Date of first issue: 2015-11-20	

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.  
GLP : yes

##### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

##### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

##### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-
1.8	2023-08-04	Date of first issue: 2015-11-20	08-04

Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit  
Assessment : Corrosive  
Method : OECD Test Guideline 405  
Result : Corrosive

##### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

##### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

##### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit  
Assessment : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-
1.8	2023-08-04	Date of first issue: 2015-11-20	08-04

Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### **2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Result : Does not cause skin sensitisation.  
GLP : yes

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

#### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### **2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Remarks : No data available

#### **Components:**

### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Carcinogenicity -  
Assessment : Not classifiable as a human carcinogen.

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Mouse  
Application Route : Dermal  
Method : OECD Test Guideline 451  
Result : negative

### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

Carcinogenicity -  
Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

#### **Product:**

Effects on fertility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

Effects on foetal development : Remarks: No data available

### Components:

#### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Reproductive toxicity - Assessment : - Fertility -  
Animal testing did not show any effects on fertility.  
- Teratogenicity -  
Did not show teratogenic effects in animal experiments.

#### **2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: LOAEL: 125 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  2.000 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  2.000 mg/kg body weight  
Embryo-foetal toxicity: NOAEL:  $\geq$  2.000 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

#### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

### STOT - single exposure

#### Product:

Remarks : No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Product:

Remarks : No data available

#### Components:

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Exposure routes : Ingestion  
Target Organs : Digestive organs, thymus gland  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Species : Rat  
: 100 mg/kg  
NOAEL : 20 mg/kg  
Application Route : Oral

### Aspiration toxicity

#### Product:

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

### Components:

#### **2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

No aspiration toxicity classification

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

#### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

Toxicity to microorganisms :  
Remarks: No data available

### Components:

#### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,3 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,163 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,03 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 26 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

#### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l  
Exposure time: 72 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,91 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (activated sludge): 10 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : LC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOELR: >= 1.000 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: The value is calculated
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
Method: OECD Test Guideline 211

### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)

**KLÜBER**  
LUBRICATION

## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

GLP: yes

NOEC (Pimephales promelas (fathead minnow)): >= 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : LC50 : > 10.000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202

NOEC : >= 10.000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:**

Biodegradability : Test Type: Primary biodegradation  
Result: Not rapidly biodegradable  
Method: OECD Test Guideline 301B

##### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 85,2 %  
Exposure time: 28 d

##### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 371,8  
Remarks: Does not accumulate in organisms.

Partition coefficient: n- : log Pow: > 6

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

octanol/water

### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Partition coefficient: n-octanol/water : log Pow: 3,5 - 4,2

### **2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-octanol/water : log Pow: 5,1

### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow: > 3,5

## 12.4 Mobility in soil

### **Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Components:**

#### **2,6-di-tert-butyl-p-cresol:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

#### **Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

#### **Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:**

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

considered to be persistent, bioaccumulating and toxic (PBT).

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023- 08-04
----------------	------------------------------	---	----------------------------

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version 1.8	Revision Date: 2023-08-04	Date of last issue: 2022-01-25 Date of first issue: 2015-11-20	Print Date: 2023-08-04
----------------	------------------------------	---	------------------------

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable
- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. 34 : Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-
1.8	2023-08-04	Date of first issue: 2015-11-20	08-04

Volatile organic compounds (VOC) content: < 0,01 %

### Other regulations:

Take note of the Swedish Work Environment Authority regulations on Chemical Hazards in the Working Environment (AFS 2011:19)

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

SE AFS : Sweden. Occupational Exposure Limit Values  
SE AFS / NGV : Time Weighted Average  
SE AFS / KGV : Short Term Exposure Limit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-
1.8	2023-08-04	Date of first issue: 2015-11-20	08-04

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - SE  
(Commission Regulation (EU) 2020/878)



## POLYLUB GA 352 P

Version	Revision Date:	Date of last issue: 2022-01-25	Print Date: 2023-
1.8	2023-08-04	Date of first issue: 2015-11-20	08-04

---

relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.