according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Date of last issue: 2022-08-05 Print Date: 2023-Revision Date:

Date of first issue: 2016-04-13 04-17 5.2 2023-04-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Klüberfluid C-F 2 Ultra Product name

039075 Article-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Grease

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company Klüber Lubrication München GmbH & Co. KG

> Geisenhausenerstr. 7 81379 München Deutschland

Tel.: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact Klüber Lubrication Nordic A/S

> Vasagatan 36 111 20 Stockholm

Sweden

Tel: +46 8 59098600 Fax: +46 8 59098601 klueber.se@se.klueber.com

1.4 Emergency telephone number

Emergency telephone num- : 112 - ask for poison information

ber

+49 89 7876 700 (24 hrs)

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

 $\langle \! \rangle$

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be

allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.

aluminium complex soap

graphite

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)	
5,5'-dithiodi-1,3,4- thiadiazole-2(3H)- thione	72676-55-2 276-763-0 01-2120119820-64- XXXX	Skin Sens.1B; H317 Aquatic Chronic2; H411		>= 1 - < 2,5	
Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified	64742-53-6 265-156-6 649-466-00-2 01-2119480375-34- XXXX	Asp. Tox.1; H304	Note L	>= 1 - < 10	
Reaction products of benzenesulfonic acid, mono-C20-24 (even)- sec-alkyl derivs. para-, calcium salts	947-519-7 01-2120765489-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0,1 - < 1	
Substances with a workplace exposure limit:					
Residual oils (petrole- um), solvent-dewaxed; Baseoil — unspecified	64742-62-7 265-166-0 649-471-00-X 01-2119480472-38- xxxx	Not classified	Note L	>= 50 - < 70	



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



 Klüberfluid C-F 2 Ultra

 Version Sevision Date: 2023-04-17
 Date of last issue: 2022-08-05 Date of first issue: 2016-04-13
 Print Date: 2023-04-17

 Graphite
 7782-42-5 231-955-3
 Not classified
 >= 1 - < 10</td>

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

•				
Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Residual oils (pe-	64742-62-7	NGV (Mist)	1 mg/m3	SE AFS
troleum), solvent-				(2020-09-28)
dewaxed; Baseoil				



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

 Version
 Revision Date:
 Date of last issue: 2022-08-05
 Print Date: 2023

 5.2
 2023-04-17
 Date of first issue: 2016-04-13
 04-17

— unspecified				
·		KGV (Mist)	3 mg/m3	SE AFS
				(2020-09-28)
	Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded			
Graphite	7782-42-5	NGV (inhalable	3 mg/m3	SE AFS
		fraction)	(Carbon)	(2018-02-19)
		NGV	0,2 fibres per cubic cen-	SE AFS
			timeter	(2015-11-12)
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — un- specified	64742-53-6	NGV (Mist)	1 mg/m3	SE AFS (2020-09-28)
		KGV (Mist)	3 mg/m3	SE AFS
				(2020-09-28)
	Further information: Indicative short term limit value shall be used as a recommended maximum value and should not be exceeded			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Residual oils (petrole- um), solvent- dewaxed; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Dermal	Long-term systemic effects	0,97 mg/kg
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Residual oils (petroleum), solvent-dewaxed; Baseoil — un-	Oral	9,33 mg/kg
specified		
Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified	Oral	9,33 mg/kg



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : 1,00 (20 °C)

Reference substance: Water The value is calculated

Density : 1,00 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Graphite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

GLP : yes

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Graphite:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eve irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Graphite:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-,

calcium salts:

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Graphite:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Graphite:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Method: OECD Test Guideline 471

Result: negative

Test Type: gene mutation test Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Reproductive toxicity - As-

sessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Reproductive toxicity - As-

sessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Graphite:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 813 mg/kg body weight

Method: OECD Test Guideline 422

STOT - single exposure

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Graphite:

Species : Rat NOAEL : 813 mg/kg

Application Route : Oral

Method : OECD Test Guideline 422

Species : Rat NOAEL : > 2 mg/l

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 412

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Toxicity to fish : LC50 (Fish): > 454 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 20 mg/l Exposure time: 72 h

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

NOEC (Pimephales promelas (fathead minnow)): >= 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

LC50 : > 10.000 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 202

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

NOEC: >= 10.000 mg/l Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Graphite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

Remarks: No data available

ity

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts:

Biodegradability : Result: Not rapidly biodegradable

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Graphite:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: Pow: > 3,5

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Assessment : Non-classified vPvB substance. Non-classified PBT substance

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Assessment : This substance is not considered to be very persistent and

very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

: Conditions of restriction for the following entries should be considered: Number on list 75

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP) Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,69 %

Other regulations:

AFS 2011:19 - Chemical Hazards in the Working Environment (amended by AFS 2019:9), §§37a-g.



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

Take note of the Swedish Work Environment Authority regulations on Chemical Hazards in the Working Environment (AFS 2011:19)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people who will be turning 16 during the calendar year are, however, except from this rule if the product is a necessary part of their education.

Hygiene limits (AFS 2018:1), provisions - Occupational Safety and Health Administration's provisions on hygiene limits and general advice on the application of the provisions.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard

class.

SE AFS : Sweden. Occupational Exposure Limit Values

SE AFS / NGV : Time Weighted Average SE AFS / KGV : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-



according to Regulation (EC) No. 1907/2006 - SE (Commission Regulation (EU) 2020/878)



Klüberfluid C-F 2 Ultra

Version Revision Date: Date of last issue: 2022-08-05 Print Date: 2023-

5.2 2023-04-17 Date of first issue: 2016-04-13 04-17

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification of the mixture:

Classification procedure:

Skin Sens. 1 H317 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.