

SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Falskitt AA

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Falskitt AA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Polybuten plaster.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Sunchem AB

Box 69

S-433 21 Partille Sweden

T +46 31 447310 - F +46 31 449581

[E-mail: purchasing@sunco.se](mailto:purchasing@sunco.se)

Manufacturer

Sunchem AB

Box 69

S-433 21 Partille Sweden

T +46 31 447310 - F +46 31 449581

[E-mail: purchasing@sunco.se](mailto:purchasing@sunco.se)

Contact person : Dick Sundström

1.3. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

2.3. Other hazards

This mixture does not contain any substances that meets the criteria for PBT or vPvB in accordance with Regulation (EC) No. 1907/2006, Annex XIII.

This mixture does not contain substances at $\geq 0,1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the

Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
polybutene	(CAS-No.) 9003-29-6 (REACH-no) 01-2119493067-32	30 - 50	Not classified
linseed oil,oxidized	(CAS nr) 68649-95-6 (EC nr) 272-038-8 (REACH-nr) 01-2119484875-20	1 - 5	Not classified
Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclics aromatics < 2%.	(CAS- No) - (EC-No) 919-857-5 (REACH- No) 01-2119463258-33	1 - 2	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336
<p>Note/Additional information: The product may contain a maximum of 1-2% titanium dioxide (CAS: 13463-67-7) but this product form is putty. The product is then not classified according to CLP because of:</p> <ol style="list-style-type: none"> 1) A partially liquid putty product (not powder form). 2) Product is also not an aerosol or risk of dust/vapour during normal handling, so exception also to EUH211 (= "Warning! Hazardous respirable droplets may form when sprayed. Do not inhale spray or mist). 3) When grinding work as a source of chemical risk, respiratory protection (combination filter or fresh air mask) should always be worn. This SDS only describes the caulking/sealing work. 			

For full text of the H-statements see section 16 "Other information".

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the patient to rest.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Contact physician if larger quantity has been consumed.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No specific symptoms noted.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Water spray. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

Hazardous decomposition products in case of (CO). Hydrogen chloride (HCl). fire : Carbon dioxide (CO₂). Carbon monoxide

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent firefighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep or shovel into suitable containers. Store away from other materials. Post clean with water.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Precautions for safe handling : No specific usage precautions noted.

Hygiene measures : Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Store in a closed container.

7.3. Specific end use(s)

No additional data.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

The national occupational exposure limit values that correspond to Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Commission Decision 2014/113/EU(5); EH40/2005 (2020)

No additional information available

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Avoid all unnecessary exposure.
Hand protection	: For prolonged or repeated skin contact use suitable protective gloves. Nitrile rubber. PVC. Breakthrough time : 6 (> 480 minutes). Layer thickness : 0,11 mm. STANDARD EN 374.
Eye protection	: Wear approved safety goggles. STANDARD EN 166.
Skin and body protection	: Not required
Respiratory protection	: Not required
Thermal hazard	: No thermal hazards
Other information	: Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Plaster.
Colour	: Grey.
Odour	: Linseed oil.
Odour threshold	: Not determined.
pH	: Not relevant.
Relative evaporation rate (butylacetate=1)	: 0
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not determined.
Flash point	: Not relevant.
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.

Flammability (solid, gas)	: Non flammable.
Vapour pressure	: Not relevant.
Relative vapour density at 20 °C	: Not determined.
Relative density	: Not determined.
Density	: 1.5 g/cm ³ @ 20 °C
Solubility	: Material insoluble in water. soluble in most organic solvents.
Log Pow	: Not determined.
Viscosity, kinematic	: Not relevant.
Viscosity, dynamic	: Not relevant.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not relevant.

9.2. Other information

Additional information : None to our knowledge.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No incompatible groups noted.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Stable under recommended handling and storage conditions (see section 7).

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity : Not classified
Ingestion of large amounts may cause discomfort.
ATE oral: > 2000 mg/kg.

polybutene (9003-20-6)	
LD50 oral rat	>2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

linseed oil (8001-26-1)	
LD50 oral rat	> 15000 mg/kg
Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met pH: Not relevant.
Serious eye damage/irritation	: Not classified Based on available data, the classification criteria are not met pH: Not relevant.
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met

11.2 Information on other hazards

This mixture does not contain substances at $\geq 0,1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Falskitt AA	
Persistence and degradability	No data.
linseed oil (8001-26-1)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Falskitt AA	
Log Pow	Not determined.

Bioaccumulative potential	No data.
polybutene (9003-20-6)	
Bioconcentration factor (BCF REACH)	33.88

12.4. Mobility in soil

Falskitt AA	
Ecology - soil	The product contains substances which are insoluble in water and which sediment in water systems.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that meets the criteria for PBT or vPvB in accordance with Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupted properties

This mixture does not contain substances at $\geq 0,1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

12.7. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Regional legislation (waste) : Product is not hazardous waste. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste treatment methods : Do not discharge into drains.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Not regulated for transport	
14.3. Transport hazard class(es)	
Not regulated for transport	

14.4. Packing group

Not regulated for transport

14.5. Environmental hazards

Not regulated for transport

No supplementary information available

14.6. Special precautions for user**14.7. Transport in bulk according to IMO instruments**

IBC code : No IBC-code for bulk transport offshore (MARPOL).

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures. Latest update of legal requirements 23/10/2024 of CLP regulation.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Regulation (EU) 2020/878 of the European Commission, supplement for REACH appendix II.

The national occupational exposure limit values that correspond to Union occupational exposure limit values in accordance with Directive 98/24/EC, including any notations as referred to in Article 2(3) of Commission Decision 2014/113/EU(5); EH40/2005: Workplace exposure limits updates 2020.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Version 5.0

Explanations to abbreviations in Section 3

Flam. Liq. 3	Flammable Liquid (Category 3)
Asp Tox 1	Aspiration toxicity (Category 1)
STOT SE 3	Specific target organ toxicity (single exposure) (Category 3)

Explanations to H statements in Section 3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.