

SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

High Tack & Fix**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product name : High Tack & Fix

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : ADHESIVES
Sealant

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**Supplier**

Sunchem AB
Box 69
S-433 21 Partille Sweden
T +46 31 447310 - F +46 31 449581
[E-mail: purchasing@sunco.se](mailto:purchasing@sunco.se)

Manufacturer

Sunchem AB
Box 69
S-433 21 Partille Sweden
T +46 31 447310 - F +46 31 449581
[E-mail: purchasing@sunco.se](mailto:purchasing@sunco.se)

Contact person : Dick Sundström

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH-statements : EUH210 - Safety data sheet available on request.
EUH208 - Contains 3-(2'-Aminoethylamino)-propyltrimetoxisilane. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Substances**

Not applicable

Date: 2022-05-12

Replaces version dated: 2018-11-01

Page 1 (8)

Version no: 2.1

Product name: High Tack & Fix

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
trimethoxyvinylsilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8 (REACH-no) 01-2119513215-52	1 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332
3-(2'-Aminoethylamino)-propyltrimetoxisilane	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6 (REACH-no) 01-2119970215-39	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

- First-aid measures general : Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Assure fresh air breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No specific symptoms noted.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

5.3. Advice for firefighters

Protection during firefighting : Wear self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No special precautions required.

For non-emergency personnel

Protective equipment : Wear appropriate personal protective equipment - see Section 8.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent discharge of larger quantity to drain.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Precautions for safe handling : Ensure adequate ventilation.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

No additional data.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Gloves are not required under normal conditions of use.

Eye protection : Use splash goggles when eye contact due to splashing is possible.
STANDARD EN 166.

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Respiratory protection not applicable.

Other information : Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state : Liquid

Appearance : Viscous.

Colour : Various.

Odour : Characteristic.

Odour threshold	: Not determined.
pH	: Not determined.
Relative evaporation rate (butylacetate=1)	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not determined.
Flash point	: > 100 °C
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
Flammability (solid, gas)	: Not applicable
Vapour pressure	: Not determined.
Relative vapour density at 20 °C	: Not determined.
Relative density	: Not determined.
Density	: 1.55 g/cm ³
Solubility	: In water, material soluble.
Log Pow	: Not determined.
Viscosity, kinematic	: Not determined.
Viscosity, dynamic	: Not determined.
Explosive properties	: Not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined.

9.2. Other information

VOC content	: 2.32 %
Additional information	: None to our knowledge.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Date: 2022-05-12

Replaces version dated: 2018-11-01

Page 4 (8)

Version no: 2.1

Product name: High Tack & Fix

No incompatible groups noted.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None to our knowledge.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity : Not classified

trimethoxyvinylsilane (2768-02-7)	
LD50 oral rat	7120 mg/kg
LD50 dermal rabbit	3260 ml/kg
LC50 inhalation rat (Vapours - mg/l/4h)	17 mg/l/4h
3-(2'-Aminoethylamino)-propyltrimetoxisilane (1760-24-3)	
LD50 oral rat	7684 mg/kg

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met
pH: Not determined.

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met
pH: Not determined.

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : No information.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

3-(2'-Aminoethylamino)-propyltrimetoxisilane (1760-24-3)

LC50 fish 1	597 mg/l (96 hours - Brachydanio rerio, zebra-fish)
-------------	---

12.2. Persistence and degradability

High Tack & Fix

Persistence and degradability	No data.
-------------------------------	----------

12.3. Bioaccumulative potential

High Tack & Fix

Log Pow	Not determined.
---------	-----------------

Bioaccumulative potential	No data.
---------------------------	----------

trimethoxyvinylsilane (2768-02-7)

Log Pow	-0.32
---------	-------

3-(2'-Aminoethylamino)-propyltrimetoxisilane (1760-24-3)

Log Pow	-1.67
---------	-------

12.4. Mobility in soil

High Tack & Fix

Ecology - soil	No data available.
----------------	--------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : None to our knowledge.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Regional legislation (waste) : Product is not hazardous waste.

Waste treatment methods : Do not discharge into drains.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : The given LoW-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.

European List of Waste (LoW) code : 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number
Not regulated for transport
14.2. UN proper shipping name
Not regulated for transport
14.3. Transport hazard class(es)
Not regulated for transport
14.4. Packing group
Not regulated for transport
14.5. Environmental hazards
Not regulated for transport
No supplementary information available

14.6. Special precautions for user
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate

list Contains no REACH Annex XIV substances

VOC content : 2.32 %

Type of product (Biocide) 2 - Disinfectants and algaecides not intended for direct application to humans or animals

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Indication of changes:

2.2	Labelling according to Regulation (EC) No.	Added	
-----	--	-------	--

	1272/2008 [CLP]		
--	-----------------	--	--

Data sources : EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

Date of issue : 10/07/2015

Revision date : 12/05/2022

Supersedes : 01/11/2018

Version : 2.1

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains 3-(2'-Aminoethylamino)-propyltrimetoxisilane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.